

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((("20030137585") or ("6914389") or ("6791636")). PN.	US-PGPUB; USPAT	OR	OFF	2008/12/03 17:04
S2	167	(LCD liquid crystal display) and (backligh back-lit) and (luminance brightness) and (sens\$3) and (LED array)and controll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:13
S3	37	S2 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:14
S4	29	S3 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:15
S5	6615	345/87,102,207.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:24
S6	55	S5 and (backlight backlit) and (luminance sensor) and (thin film transistor TFT) and (detect \$3 adj signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:27
S7	21	S6 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 11:27
S8	0	(LCD liquid crystal display) same substrate same (backligh or back-lit)same (luminance brightness) same sens\$3 same (without flicker\$3) same controll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:31

S9	91	(LCD liquid crystal display)and substrate and (backligh or back-lit)and (luminance brightness)and sens\$3 and (without flicker\$3)and controll \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:32
S10	57	S9 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:33
S11	105	(LCD liquid crystal display)and substrate and (backligh or back-lit)and (constant luminance)and sens\$3 and (without flicker\$3)and controll \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:35
S12	64	S11 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:36
S13	114	(LCD liquid crystal display)and substrate and (backligh or back-lit)and (constant luminance)and sens\$3 and (hold portion) and control\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:37
S14	11	S13 and 345/87-102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:37
S15	527327	(LCD liquid crystal display)and substrate and backlighand (constant luminance)and sens \$3 and controll\$3 and (time period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:44
S16	1099	S15 and (generat\$3 adj input) and (detect\$3 adj signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:46
S17	4	S16 and 345/87-100,102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:46

S18	654	S16 and (luminance sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:48
S19	454	S18 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:48
S20	428	S19 and (backlight constant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:50
S21	12	S20 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/03 15:51
S22	1	("20030137485").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/10 11:21
S23	54	(liquid crystal display LCD) and backlight and (sampling or sample) adj circuit and (latch or latches) and 345/87- 100,102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:09
S24	31	S23 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/10 13:10
S25	121	((LCD) or (liquid crystal display)) same (backlight or back-lit) same (constant level) same (respect to time) same (short or (shorter period)) and 345/87-102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/01 16:44
S26	39	S25 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/01 16:45

S27	1780	((LCD) or (liquid crystal display)) and (backlight or back-lit) and (constant level) and (respect to time) and (short or (shorter period)) and 345/87-102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:35
S28	11	S27 and (sensor adj detect\$3) and (sampling or (sample-holding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:38
S29	1765	((LCD) or (liquid crystal display)) and backlight and (constant level) and (respect to time) and (short or (shorter period)) and 345/87-102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:46
S30	1765	S29 and (backlight almost constant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:47
S31	402	S29 and (without flickering) and (sensor or sensing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:49
S32	85	S31 and (sampling or (sample-holding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:51
S33	40	S32 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 12:53
S34	1660	((LCD) or (liquid crystal display)) and backlight and (constant level) and (luminance level) and (respect to time) and (short or (shorter period)) and 345/87-102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 13:01
S35	1660	S34 and (backlight constant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 13:02

S36	1502	S35 and (without flicker\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 13:03
S37	30	S36 and (detect\$3 adj (sensor or sensing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 13:05
S39	12	S37 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 13:07
S40	1800	((LCD) or (liquid crystal display)) and backlight and (constant level) and (respect to time) and (short or (shorter period)) and 345/87-102,207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 14:25
S41	64	S40 and (detec\$3) and (sensor or sensing) and(sample or (sampling-holding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 14:30
S42	24	S41 and (@ad<="20031208")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/02 14:30

8/ 2/ 09 2:31:58 PM

C:\ Documents and Settings\ KNguyen10\ My Documents\ EAST\ Workspaces\ 10531369.wsp